This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

□ BLACK BORDERS
□ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
□ FADED TEXT OR DRAWING
□ BLURRED OR ILLEGIBLE TEXT OR DRAWING
□ SKEWED/SLANTED IMAGES
□ COLOR OR BLACK AND WHITE PHOTOGRAPHS
□ GRAY SCALE DOCUMENTS
□ LINES OR MARKS ON ORIGINAL DOCUMENT
□ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.

OTHER:

L Number	Hits	Search Text	DB	Time stamp
1	781	345/629.ccls.	USPAT;	2004/08/24 15:15
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
2	293	(computer with display) and (visual with security)	USPAT;	2004/08/24 15:17
İ			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
_	201		IBM_TDB	000 / /00 /04 / 5 / 7
5	381	visual with display with (security or secure)	USPAT;	2004/08/24 15:17
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
		20020020020	IBM_TDB	2004/08/24 15:15
-	2	20030038820.pn.	USPAT;	2004/06/24 15.15
			US-PGPUB;	
			EPO; JPO;	
1			DERWENT;	
	2	(computer pear display) pear eccurity	IBM_TDB USPAT;	2004/02/24 12:45
_	2	(computer near display) near security	US-PGPUB;	2004/02/24 12.40
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
	39	345/7.ccls. and security	USPAT;	2004/02/25 12:03
-	39	34377.0015. and security	US-PGPUB;	2004/02/25 12.05
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
	21	("4859994" "4870486" "4879603" "4967268" "5117302"	USPAT	2004/02/23 13:08
	-'	"5181133" "5327153" "5343313" "5347378" "5422756"	55	
		"5463428" "5479187" "5528319" "5583674" "5629984"		
		"5717412" "5973760" "6061489" "6078374" "6280034"		
		"6456432").PN.		
-	432	display near security	USPAT;	2004/02/23 14:56
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	2	computer near display near security	USPAT;	2004/02/23 14:47
			US-PGPUB;	
			EPO; JPO;	
	1		DERWENT;	
	440	annutar room data noon acquirit.	IBM_TDB	2004/02/23 14:50
-	140	computer near data near security	USPAT; US-PGPUB;	2004/02/23 14:50
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	4	computer near (print\$3 or sav\$3 or fax\$3) near security	USPAT;	2004/02/23 14:52
_	"	Sompator near (printing of Savyo of Taxyo) fical Security	US-PGPUB;	200 1102120 17.02
	-		EPO; JPO;	
1			DERWENT;	
			IBM_TDB	
1 -	0	computer near display near (print or printing or save or saving	USPAT;	2004/02/23 14:53
		or fax or faxing) near security	US-PGPUB;	
	1		EPO; JPO;	
			DERWENT;	
[IBM_TDB	
-	1309	(print or printing or save or saving or fax or faxing) near	USPAT;	2004/02/23 14:53
1		security	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	<u> </u>		IBM_TDB	

-	2	display near (print or printing or save or saving or fax or faxing) near security	USPAT; US-PGPUB;	2004/02/23 14:53
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	131	(display near security) and (print or printing or save or saving	USPAT;	2004/02/23 14:57
		or fax or faxing)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	0	(vista and month) many analysis many appropriate	IBM_TDB	2004/02/25 11:50
-	0	(water adj mark) near security near computer	USPAT; US-PGPUB;	2004/02/25 11.50
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	2	(water adj mark) near security	USPAT;	2004/02/23 15:01
		(US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	0	(water adj mark) near (electronic adj document)	USPAT;	2004/02/23 15:01
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	1-	(contact and contact and (all alternational) data are as	IBM_TDB	0004/00/00 45 00
_	17	(water adj mark) and (electronic adj document)	USPAT;	2004/02/23 15:02
			US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM_TDB	
1_	282	(digital near security) and display	USPAT;	2004/02/23 15:12
	202	(digital flear security) and display	US-PGPUB;	200-702/20 10.12
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	2541	watermark\$3 and security	USPAT;	2004/02/24 08:53
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	0004/00/00 45 45
-	205	watermark\$3 near security	USPAT;	2004/02/23 15:15
	1		US-PGPUB;	
			EPO; JPO; DERWENT;	
	1		IBM_TDB	
_	0	hide near display near security	USPAT;	2004/02/23 15:15
		indo tida. diopidy floar occurry	US-PGPUB;	
			EPO; JPO;	
	1		DERWENT;	
			IBM_TDB	
-	47	(hide near display) and security	USPAT;	2004/02/23 15:38
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
}			IBM_TDB	0004/00/00 10 00
-	474	(digital adj watermarking) and security	USPAT;	2004/02/23 16:02
			US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM_TDB	
_	0	"Andrew Goren".in. or "Arshad Masood".in.	USPAT;	2004/02/23 16:03
		Andrew Goleli .iii. Ol Albildu Masoou .iii.	US-PGPUB;	250 1702720 10.00
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
				

-	525	"Goren".in. or "Masood".in.	USPAT;	2004/02/23 16:04
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	525	Goren.in. or Masood.in.	USPAT;	2004/02/23 16:25
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	340	Goren.in.	USPAT;	2004/02/23 16:25
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	1	goren-andrew.in. or masood-arshad.in.	USPAT;	2004/02/23 16:26
	1		US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	1	goren-andrew.in.	USPAT;	2004/02/23 16:51
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	10	viewel many display many (====================================	IBM_TDB	2004/00/00 10 50
-	13	visual near display near (secure or security)	USPAT;	2004/02/23 16:53
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	_		IBM_TDB	0004/00/00 40.50
-	7	visual near (secure or security) with computer	USPAT;	2004/02/23 16:53
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	50	(viewel as display) as as (vieta-mant-02) and as a with	IBM_TDB	0004/00/04 44:07
-	56	(visual or display) near (watermark\$3) and security	USPAT;	2004/02/24 11:27
			US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM_TDB	
	273	(visual or display or visible or perceptual) near (watermark\$3)	USPAT;	2004/02/24 09:19
	2/3	and security	US-PGPUB;	2004/02/24 09.19
		and sociality	EPO; JPO;	
			DERWENT;	
	1		IBM_TDB	
1 -	652	(visual or display or visible or perceptual) near security	USPAT;	2004/02/24 09:29
			US-PGPUB;	-55 52.2 . 66.20
			EPO; JPO;	
	1		DERWENT;	
	1		IBM_TDB	
-	2	5963371.pn.	USPAT;	2004/02/24 09:48
] _		US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	0	(print near (secret adj message\$)) and display	USPAT;	2004/02/24 09:49
		(,,,,,,	US-PGPUB;	
			EPO; JPO;	
	i		DERWENT;	
			IBM_TDB	
-	0	(print near (secret adj message\$))	USPAT;	2004/02/24 09:49
		, , , , , , , , , , , , , , , , , , ,	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
	L	I		

-	64	(print and (secret adj message\$))	USPAT; US-PGPUB;	2004/02/24 09:55
			EPO; JPO; DERWENT;	
			IBM_TDB	
-	17059	(visual or display or visible or perceptual) with (security or	USPAT;	2004/02/24 09:57
		secure)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	4759	((visual or display or visible or perceptual) with (security or	USPAT;	2004/02/24 09:56
		secure)) and (print or printing or save or saving or fax or	US-PGPUB;	
		faxing)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	1144	(visual or display or visible or perceptual) with (security or	USPAT;	2004/02/24 09:57
		secure) with (digital or document\$)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	704	//viewel or display or vielble and account 19, 19, 4	IBM_TDB	0004/00/04 40 05
ļ. -	704	((visual or display or visible or perceptual) with (security or	USPAT;	2004/02/24 10:33
		secure) with (digital or document\$)) and (save or saving or print or printing or fax or faxing)	US-PGPUB;	
		print or printing or fax or faxing)	EPO; JPO;	
			DERWENT; IBM TDB	
1_	2	5708717.pn.	USPAT;	2004/02/24 10:44
-		3700717.pii.	US-PGPUB;	2004/02/24 10.44
			EPO; JPO;	
1			DERWENT;	
]			IBM_TDB	
_	5	(image adj masking) with (reverse or reversible)	USPAT;	2004/02/24 10:45
		(inage asjinashing) than (reteres of reteresion)	US-PGPUB;	2001/02/21 10:10
-			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	560	image adj masking	USPAT;	2004/02/24 10:48
			US-PGPUB;	
			EPO; JPO;	
	1		DERWENT;	
	_		IBM_TDB	
-	0	printing with (secrete adj messages)	USPAT;	2004/02/24 10:48
			US-PGPUB;	
			EPO; JPO;	
1			DERWENT;	
	0	printing with (secret adi messages)	IBM_TDB USPAT;	2004/02/24 10:49
_		printing with (secret adj messages)	US-PGPUB;	2004/02/24 10.49
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	47	printing with (secret adj document\$)	USPAT;	2004/02/24 10:50
		, , , , , , , , , , , , , , , , , , , ,	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	352	visual with display with (security or secure)	USPAT;	2004/08/24 15:17
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	1011	((visual or visible) with (security or secure)) and display and	USPAT;	2004/02/24 11:12
		(print or printing or save or saving or fax or faxing)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	1		IBM_TDB	

	040	T// 1 1 2 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1.100.45	
-	648	((visual or visible or perceptual) with (watermark\$3)) and	USPAT;	2004/02/25 09:14
		(security or secure)	US-PGPUB;	
			EPO; JPO;	
1			DERWENT;	
		00000070007	IBM_TDB	
-	2	20030076337.pn.	USPAT;	2004/02/24 12:14
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	257	(computer with display) and (visual with security)	USPAT;	2004/08/24 15:16
			US-PGPUB;	
1			EPO; JPO;	
			DERWENT;	
	704	0.45/0.40	IBM_TDB	000 / /00 /0 / 40 07
-	701	345/619.ccls.	USPAT;	2004/02/24 13:07
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	700110		IBM_TDB	
-	783149	secure or security	USPAT;	2004/02/24 13:04
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
		045/04011/	IBM_TDB	0004/00/07
-	34	345/619.ccls. and (secure or security)	USPAT;	2004/02/24 13:35
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
		0.454000	IBM_TDB	
-	706	345/629.ccls.	USPAT;	2004/02/24 13:07
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
		(IBM_TDB	0004/00/04 40 00
-	4	(secure or security) and 345/626.ccls.	USPAT;	2004/02/24 13:08
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	0.5	1 10451000	IBM_TDB	0004/00/04 40 00
-	35	(secure or security) and 345/629.ccls.	USPAT;	2004/02/24 13:08
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	_	20020020020 LIDDN	IBM_TDB	0004/00/04 40 00
-	0	20030038820.URPN.	USPAT	2004/02/24 13:09
-	41	345/626.ccls.	USPAT;	2004/02/24 13:25
			US-PGPUB;	
			EPO; JPO;	
1		*	DERWENT;	
	40	(private pear display) and (pages = =====ity)	IBM_TDB	2004/02/24 42:44
-	49	(private near display) and (secure or security)	USPAT;	2004/02/24 13:41
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	.	, visual many data many histing	IBM_TDB	2004/02/04 40:42
-	4	visual near data near hiding	USPAT;	2004/02/24 13:43
		;	US-PGPUB;	
		**	EPO; JPO;	
		1.20	DERWENT;	
		6530300	IBM_TDB	2004/02/04 40 40
-	2	6529209.pn.	USPAT;	2004/02/24 13:46
		. !	US-PGPUB;	
			EPO; JPO;	1
			DERWENT;]
	<u>L</u>		IBM_TDB	l

-	34	visual with data with (hide or hiding)	USPAT;	2004/02/24 14:22
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	9	visual with data with (hide or hiding) and watermark	USPAT;	2004/02/24 15:38
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	2	6389322.pn.	USPAT;	2004/02/24 16:09
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	2	6675055.pn.	USPAT;	2004/02/24 16:09
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
		00.40.400	IBM_TDB	0004/00/05 :=
-	2	6243483.pn.	USPAT;	2004/02/25 09:15
	1		US-PGPUB;	
	1		EPO; JPO;	
1			DERWENT;	
		6242480 pp	IBM_TDB	2004/02/25 20:45
-	2	6243480.pn.	USPAT;	2004/02/25 09:15
			US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM TDB	
-	518	(watermark\$3) with (reversible or reverse or remove)	USPAT;	2004/02/25 11:51
	310	(watermark#5) with (reversible of reverse of remove)	US-PGPUB;	2004/02/25 11.51
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	3	345/619.ccls. and watermark\$3	USPAT;	2004/02/25 12:05
		o toro torodo. and watermanage	US-PGPUB;	200 1102120 12:00
1			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	8258	watermark\$3	USPAT;	2004/02/25 12:05
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	2056862	reverse or reversible or remove or delete or erase	USPAT;	2004/02/25 12:05
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	0.400		IBM_TDB	0004100107 47 57
-	2409	watermark\$3 and (reverse or reversible or remove or delete or	USPAT;	2004/02/25 12:05
		erase)	US-PGPUB;	
			EPO; JPO;	,
			DERWENT;	
	199	watermark\$2 pear (rayarea or rayaraible as seement	IBM_TDB	2004/02/25 42:42
1-	199	watermark\$3 near (reverse or reversible or remove or erase or	USPAT;	2004/02/25 12:12
	1	delete)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
_	2	20030149879.pn.	IBM_TDB USPAT;	2004/02/25 12:13
	2	20000 (4007 0.pm.	USPAT; US-PGPUB;	2007/02/20 12:13
	[EPO; JPO;	
			DERWENT;	
			IBM_TDB	
		1	יייין וייוטי	L

-	2	20030179900.pn.	USPAT;	2004/02/25 12:13
			US-PGPUB;	
			EP0; JPO;	
			DERWENT;	
			IBM_TDB	
-	7	reversible near watermarking	USPAT;	2004/02/26 08:00
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
		*	IBM_TDB	
-	278	((image or graphics) near overlay) and (secure or security)	USPAT;	2004/02/26 08:38
			US-PGPUB;	
			EP0; JPO;	
			DERWENT;	
			IBM_TDB	
-	349	380/54.ccls.	USPAT;	2004/02/26 09:16
			US-PGPUB;	*
			EP0; JP0;	
			DERWENT;	
			IBM TDB	
-	27898	(camouflage or camouflaging or obscuring or obscure or	USPAT;	2004/02/26 09:20
		obscuration or conceal or concealing or hide or hiding or	US-PGPUB;	
]		concealment or mask or masking or hidden or disguise or	EPO; JPO;	
		disguising or disguised) near (display\$3 or screen\$ or imag\$3	DERWENT;	
		or data)	IBM_TDB	
-	29	(computer near (screen or display)) near (secure or security)	USPAT;	2004/02/26 09:21
		(confidence (concorr or eneplay)) has (consider or consumity)	US-PGPUB;	200 1102/20 00:21
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	29	((computer near (screen or display)) near (secure or security))	USPAT;	2004/02/26 09:23
	20	and (secure or security or private or privacy)	US-PGPUB;	2004/02/20 03:23
		and (boodie or booding or private or privately)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	3428	((camouflage or camouflaging or obscuring or obscure or	USPAT;	2004/02/26 09:42
	0.120	obscuration or conceal or concealing or hide or hiding or	US-PGPUB;	2004/02/20 03.42
		concealment or mask or masking or hidden or disguise or	EPO; JPO;	
		disguising or disguised) near (display\$3 or screen\$ or imag\$3	DERWENT;	
		or data)) and (secure or security or private or privacy)	IBM TDB	
_	0	(secure near viewing) with (computer near display)	USPAT;	2004/02/26 09:43
	•	(secure near viewing) with (computer near display)	US-PGPUB;	2004/02/20 09.43
		·	EPO; JPO;	
			DERWENT;	
<u>-</u>	0	((secure or security or private) near viewing) with (computer	IBM_TDB USPAT;	2004/02/26 00:42
	· · ·	near display)	•	2004/02/26 09:43
.		noar display)	US-PGPUB; EPO; JPO;	
			DERWENT;	
_	32	((secure or security or private) peer viewing) and (secure	IBM_TDB	2004/02/20 00:40
-	32	((secure or security or private) near viewing) and (computer	USPAT;	2004/02/26 09:43
		near display)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	٦ ا	20020020105	IBM_TDB	0004/00/00 40 00
-	2	20030039195.pn.	USPAT;	2004/02/26 10:33
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	225		IBM_TDB	
-	260	remov\$3 near watermark	USPAT;	2004/02/26 10:37
	l		US-PGPUB;	
			EPO; JPO;	İ
			DERWENT; IBM_TDB	:

165 purpura in. USPAT: USPGPUB; EPO, IPO, DERWENT; USPAT: USP					
Percent Perc	-	165	purpura.in.	USPAT;	2004/02/26 10:37
- 2269 display adj block					
Secure near view\$3) and display Secure near display Secure near view\$3) and display Secure near display Secure near view\$3) and display Secure near display Secure near view\$3) Secure near display Secure near view\$3) Secure near display Secure near view\$3) Secure near display Secure near view\$3 Secure near view\$3 Secure near display Secure near view\$3 Secure near view\$3 Secure near display Secure near view\$3 Secure near view\$3 Secure near display Secure near view\$3 Secure near view\$3 Secure near display Secure near view\$3 Secure near view\$3 Secure near display Secure near view\$3 Secure near view\$				EPO; JPO;	
2269 display adj block					
US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO;	ļ	0000	e i ei		0004/00/07 44 54
- 356 (display adj block) and (secure or security) - 356 (display adj block) and (secure or security) - 288 (secure near view\$3) and display - 288 (secure near view\$3) and display - 2 5801697.pn. - 3 6 847899 URPN 4 0 847899 URPN 5 0 847899 URPN 5 0 647899 URPN 5 0 647899 URPN 6 1637 ((secure near view\$3) or (secure near display)) and (digital or computer) - 5 0 0 digital near watermark near reapply - 5 0 0 digital same watermark with reapply - 6 1 0 digital same watermark with reapply - 7 0 0 digital same watermark near (reapply or (apply near again) or reversible or reverse) - 8 1 0 digital near watermark) and reapply - 9 2 1 0 0 digital near watermark) and reapply - 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	-	2269	display adj block		2004/02/27 11:54
- 356 (display adj block) and (secure or security) - 288 (secure near view\$3) and display - 288 (secure near view\$3) and display - 2 5801697.pn. - 2 5801697.pn. - 3 647899.URPN 4 770 (secure near view\$3) or (secure near display) - 4 770 (secure near view\$3) or (secure near display) - 570 (secure near view\$3) or (secure near display) - 570 (secure near view\$3) or (secure near display) - 570 (digital near watermark near reapply - 6 digital near watermark with reapply - 6 digital near watermark near (reapply or (apply near again) or reversible or reverse) - 7 7 (digital near watermark) and reapply - 8 6 digital near watermark) and reapply - 7 722693.pn. - 8 722693.pn. - 9 10 10 10 10 10 10 10 10 10 10 10 10 10					
18M TDB 18M TDB 18PAT TD					
Secure S					
US-PCPUB: EPO; JPO; DERWENT; BM, TDB USPAT; US-PCPUB: EPO; JPO; DERWENT; BM, TDB USPAT; US-PCPUB: EPO; JPO; DERWENT; BM, TDB USPAT; US-PCPUB: EPO; JPO; DERWENT; BM, TDB USPAT;		356	(display adi blash) and (sasura as assumb)		2004/02/27 42:00
- 288 (secure near view\$3) and display	_	356	(display adj block) and (secure or security)		2004/02/27 12:00
- 288 (secure near view\$3) and display					
Secure near view\$3) and display IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; JPO; JPO; JPO; JPO; JPO; JPO; J					
- 288 (secure near view\$3) and display					
- 2 5801697.pn. - 2 5801697.pn. - 3 0 647899 URPN 0 0 647899 URPN 0 0 647899 URPN 1537 (secure near view\$3) or (secure near display) - 1537 (secure near view\$3) or (secure near display) - 0 0 digital near watermark near reapply - 0 0 digital with watermark with reapply - 0 0 digital same watermark same reapply - 0 0 digital near watermark near (reapply or (apply near again) or reversible or reverse) - 1 2 5722693.pn. - 2 5722693.pn. - 2 5722693.pn. - 2 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		200	(assume assuming (CR) and display		2004/02/27 42-54
- 2 5801697.pn. EPO: JPO: DERWENT: IBM_TDB USPAT: US-PGPUB: EPO: JPO: DERWENT: IBM_TDB USPAT: US-PGPUB: EPO: JPO: DERWENT: IBM_TDB USPAT: USPAGBUB: EPO: JPO: DERWENT: IBM_TDB USPAT: USPGBUB: EPO: JPO: DERWENT: IBM_T	-	200	(secure near view\$3) and display		2004/02/27 12:54
- 2 5801697.pn. - 2 5801697.pn. - 3 0 647899 URPN 0 0 647899 URPN 0 0 647899 URPN 1 1537 (secure near view\$3) or (secure near display) - 1 570 ((secure near view\$3) or (secure near display) - 570 ((secure near view\$3) or (secure near display)) and (digital or computer) - 570 ((secure near view\$3) or (secure near display)) and (digital or computer) - 0 0 digital near watermark near reapply - 0 0 digital with watermark with reapply - 0 0 digital same watermark with reapply - 0 0 digital same watermark same reapply - 0 0 digital same watermark same reapply - 0 0 digital near watermark near (reapply or (apply near again) or reversible or reverse) - 1 2 5722693.pn. - 2 5722693.pn. - 2 5722693.pn. - 3 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0				US-PGPUB;	
BM TOB USPAT; US-PCPUB; EPC; JPC; DERWENT; IBM TOB USPAT; US-PCP					
- 2 5801697 pn. USPAT; US-PCPUB; EPO; JPO; DERWENT; IBM_TDB 2004/02/27 12:04 2004/02/27 12:04 2004/02/27 12:04 2004/02/27 12:04 2004/02/27 12:04 2004/02/27 12:05 2004/0					
- 0 6 647899 URPN.		2	5901607 pp		2004/02/27 12:04
- 0 647899 URPN. 647899 URPN. 947899 URPN. 9	-	2	5601697.βΠ.		2004/02/27 12:04
- 0 647899 URPN. DERWENT; IBM_TDB USPAT					
- 0 647899 URPN. USPAT U					
- 0 647899 URPN.					
- 0 647899 URPN. (secure near view\$3) or (secure near display) - 570 ((secure near view\$3) or (secure near display)) and (digital or computer) - 570 ((secure near view\$3) or (secure near display)) and (digital or computer) - 0 digital near watermark near reapply - 0 digital with watermark with reapply - 0 digital same watermark with reapply - 0 digital same watermark same reapply - 0 digital same watermark near (reapply or (apply near again) or reversible or reverse) - 1 0 digital near watermark) and reapply - 1 0 digital near watermark) and reapply - 1 0 digital near watermark near (reapply or (apply near again) or reversible or reverse) - 1 1 2 5722693.pn. - 1 2 5722693.pn. - 2 5722693.pn. - 2 5722693.pn.		_	647800 LIDDN		2004/02/27 42:00
- 1537 (secure near view\$3) or (secure near display) - 570 ((secure near view\$3) or (secure near display)) and (digital or computer) - 0 (secure near view\$3) or (secure near display)) and (digital or computer) - 0 digital near watermark near reapply - 0 digital with watermark with reapply - 0 digital same watermark same reapply - 0 digital same watermark same reapply - 0 digital same watermark near (reapply or (apply near again) or reversible or reverse) - 1 3 (digital near watermark) and reapply - 2 5722693.pn. USPAT; USPGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; USPG	-	1	i e e e e e e e e e e e e e e e e e e e)
- 570 ((secure near view\$3) or (secure near display)) and (digital or computer) - 0 ((secure near view\$3) or (secure near display)) and (digital or computer) - 0 ((secure near view\$3) or (secure near display)) and (digital or computer) - 0 ((secure near view\$3) or (secure near display)) and (digital or computer) - 0 ((secure near view\$3) or (secure near display)) and (digital or computer) - 0 ((secure near view\$3) or (secure near display)) and (digital or computer) - 0 ((secure near view\$3) or (secure near display)) and (digital or computer) - 0 ((secure near view\$3) or (secure near display)) and (digital or computer) - 0 ((secure near view\$3) or (secure near display)) and (digital or computer) - 0 ((secure near view\$3) or (secure near display)) and (digital or computer) - 0 ((secure near view\$3) or (secure near display)) and (digital or computer) - 0 ((secure near view\$3) or (secure near display)) and (digital or computer) - 0 ((secure near view\$3) or (secure near display)) and (digital or computer) - 0 ((secure near view\$3) or (secure near display)) and (digital or computer) - 0 ((secure near view\$3) or (secure near display)) and (digital or computer) - 0 ((secure near view\$3) or (secure near display)) and (digital or computer) - 0 ((secure near view\$3) or (secure near display)) and (digital or computer) - 0 ((secure near view\$3) or (secure near display)) and (digital or computer) - 0 ((secure near view\$3) or (secure near display)) and (digital or computer) - 0 ((secure near view\$1) or (secure near display) - 0 ((secure near view\$1) or (secure near display) - 0 ((secure near view\$1) or (secure near display) - 0 ((secure near view\$1) or (secure near display) - 0 ((secure near view\$1) or (secure near display) - 0 ((secure near view\$1) or (secure near display) - 0 ((secure near view\$1) or (secure near display) - 0 ((secure near view\$2) or (secure near display) - 0 ((secure near view\$2) or (secure near display) - 0 ((secure near view\$2) or (secure near display) - 0 ((secure near view\$	_				
- 570 ((secure near view\$3) or (secure near display)) and (digital or computer) - 0 ((secure near view\$3) or (secure near display)) and (digital or computer) - 0 (secure near view\$3) or (secure near display)) and (digital or computer) - 0 (digital near watermark near reapply - 0 (digital near watermark with reapply) - 0 (digital with watermark with reapply) - 0 (digital same watermark same reapply) - 0 (digital near watermark near (reapply or (apply near again) or reversible or reverse) - 1 (digital near watermark) and reapply - 2 (digital near watermark) and reapply - 2 (digital near watermark) and reapply - 2 (digital near watermark) and reapply - 3 (digital near watermark) and reapply - 2 (digital near watermark) and reapply - 3 (digital near watermark) and reapply - 3 (digital near watermark) and reapply - 4 (digital near watermark) and reapply - 5 (digital near watermark) and reapply - 3 (digital near watermark) and reapply - 4 (digital near watermark) and reapply - 5 (digital near watermark) and reapply - 5 (digital near watermark) and reapply - 6 (digital near watermark) and reapply - 7 (digital near watermark) and reapply - 8 (digital near watermark) and reapply - 9 (digital near watermark) and reapply - 1 (digital near watermark) and reapply - 1 (digital near watermark) and reapply - 2 (digital near watermark) and reapply - 3 (digital near watermark) and reapply - 3 (digital near watermark) and reapply - 4 (digital near watermark) and reapply - 5 (digital near watermark) and reapply - 6 (digital near watermark) and reapply - 7 (digital near watermark) and reapply - 8 (digital near watermark) and reapply - 9 (digital near watermark) and reapply - 9 (digital near watermark) and reapply - 9 (digital near watermark) and reapply - 9 (digital near watermark) and reapply - 9 (digital near watermark) and reapply - 9 (digital near watermark) and reapply - 9 (digital near watermark) and reapply - 9 (digital near watermark) and reapply - 9 (digital near watermark) and r	-	1557	(secure near view\$5) or (secure near display)	,	2004/02/27 12:57
- 570 ((secure near view\$3) or (secure near display)) and (digital or computer) - 0 (igital near watermark near reapply) - 0 digital with watermark with reapply - 0 digital same watermark same reapply - 0 digital same watermark same reapply - 0 digital near watermark same reapply - 0 digital near watermark near (reapply or (apply near again) or reversible or reverse) - 1 3 (digital near watermark) and reapply - 2 5722693.pn. - 2 5722693.pn. - 570 digital near watermark) and reapply - 1 2 5722693.pn. - 2 5722693.pn. - 2 5722693.pn. - 3 0 DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO					
- 570 ((secure near view\$3) or (secure near display)) and (digital or computer) - 0 ((secure near view\$3) or (secure near display)) and (digital or computer) - 0 (secure near view\$3) or (secure near display)) and (digital or computer) - 0 (secure near view\$3) or (secure near display)) and (digital or computer) - 0 (secure near view\$3) or (secure near display)) and (digital or viewsPaT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWE					
- 0 ((secure near view\$3) or (secure near display)) and (digital or computer) - 0 (digital near watermark near reapply - 0 (digital with watermark with reapply - 0 (digital same watermark same reapply - 0 (digital same watermark same reapply - 0 (digital near watermark near (reapply or (apply near again) or reversible or reverse) - 1 (digital near watermark) and reapply - 2 (5722693.pn. - 2 (5722693.pn. - 2 (5722693.pn. - 0 (digital near views) (secure near display)) and (digital or secure) and (digital or secure) (secure) (sec]			
Computer Computer		570	((secure near view\$3) or (secure near display)) and (digital or		2004/02/27 13:01
- 0 digital near watermark near reapply - 0 digital with watermark with reapply - 0 digital same watermark with reapply - 0 digital same watermark same reapply - 0 digital same watermark same reapply - 0 digital same watermark same reapply - 0 digital near watermark near (reapply or (apply near again) or reversible or reverse) - 1 3 (digital near watermark) and reapply - 2 5722693.pn. - 2 5722693.pn. - 1 2 5722693.pn. - 2 2 5722693.pn. - 2 2 5722693.pn. - 2 2 5722693.pn. - 2 2 5722693.pn. - 3 3 digital near watermark near reapply - 3 4 digital near watermark) and reapply - 4 5722693.pn. - 5 5722693.pn. - 5 6 digital near watermark) and reapply - 5 6 digital near watermark) and reapply - 6 6 digital near watermark) and reapply - 7 7 7 13:02 - 8 2004/02/27 13:02 - 9 2004/02/27 13:02		370			2004/02/27 13.01
- 0 digital near watermark near reapply - 0 digital with watermark with reapply - 0 digital same watermark same reapply - 0 digital same watermark same reapply - 0 digital same watermark same reapply - 0 digital same watermark same reapply - 0 digital near watermark near (reapply or (apply near again) or reversible or reverse) - 1 3 (digital near watermark) and reapply - 2 5722693.pn. DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB			Computery		
- 0 digital near watermark near reapply - 0 digital with watermark with reapply - 0 digital same watermark with reapply - 0 digital same watermark same reapply - 0 digital same watermark same reapply - 0 digital same watermark same reapply - 0 digital near watermark near (reapply or (apply near again) or reversible or reverse) - 1 3 (digital near watermark) and reapply - 2 5722693.pn. IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; ISM_TDB USPAT; US-P				DERWENT	
- 0 digital near watermark near reapply - 0 digital with watermark with reapply - 0 digital same watermark same reapply - 0 digital same watermark same reapply - 0 digital same watermark same reapply - 0 digital same watermark near (reapply or (apply near again) or reversible or reverse) - 1 0 digital near watermark near (reapply or (apply near again) or reversible or reverse) - 1 0 digital near watermark near (reapply or (apply near again) or reversible or reverse) - 1 0 digital near watermark near (reapply or (apply near again) or reversible or reverse) - 2 0 digital near watermark near (reapply or (apply near again) or reversible or reverse) - 1 0 digital near watermark near (reapply or (apply near again) or reversible or reverse) - 2 0 digital near watermark near (reapply or (apply near again) or reversible or reverse) - 3 (digital near watermark) and reapply - 3 2004/02/27 13:02 - 3 2004/02/27 13:02 - 3 2004/02/27 13:02 - 3 2004/02/27 13:05 - 3 2004/02/27 13:05 - 3 2004/02/27 13:05 - 3 2004/02/27 13:11 - 3 2004/02/27 13:11 - 3 2004/02/27 13:12 - 3 2004/02/27 13:12 - 3 2004/02/27 13:12 - 3 2004/02/27 13:12					
- 0 digital with watermark with reapply - 0 digital same watermark same reapply - 0 digital same watermark same reapply - 0 digital same watermark same reapply - 0 digital near watermark near (reapply or (apply near again) or reversible or reverse) - 1 3 (digital near watermark) and reapply - 2 5722693.pn. US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USP	_	0	digital near watermark near reapply		2004/02/27 13:02
- 0 digital with watermark with reapply - 0 digital same watermark same reapply - 0 digital same watermark same reapply - 0 digital same watermark same reapply - 0 digital near watermark near (reapply or (apply near again) or reversible or reverse) - 1 3 (digital near watermark) and reapply - 2 5722693.pn.			a.g.a. riodi watermant riodi rouppi,		200 1702727 10:02
- 0 digital with watermark with reapply - 0 digital same watermark same reapply - 0 digital same watermark same reapply - 0 digital near watermark near (reapply or (apply near again) or reversible or reverse) - 3 (digital near watermark) and reapply - 2 5722693.pn. DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM					
- 0 digital with watermark with reapply - 0 digital same watermark same reapply - 0 digital same watermark same reapply - 0 digital near watermark near (reapply or (apply near again) or reversible or reverse) - 0 digital near watermark near (reapply or (apply near again) or reversible or reverse) - 1 3 (digital near watermark) and reapply - 2 5722693.pn. IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; US					
- 0 digital with watermark with reapply - 0 digital same watermark same reapply - 0 digital same watermark same reapply - 0 digital near watermark near (reapply or (apply near again) or reversible or reverse) - 0 digital near watermark near (reapply or (apply near again) or reversible or reverse) - 3 (digital near watermark) and reapply - 2 5722693.pn. USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PG					
- digital same watermark same reapply digital same watermark same reapply digital near watermark near (reapply or (apply near again) or reversible or reverse) digital near watermark near (reapply or (apply near again) or reversible or reverse) digital near watermark near (reapply or (apply near again) or reversible or reverse) digital near watermark near (reapply or (apply near again) or reversible or reverse) US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; USPAT; USPAT	_	0	digital with watermark with reapply		2004/02/27 13:02
- 0 digital same watermark same reapply - 0 digital same watermark same reapply - 0 digital same watermark same reapply - 0 digital near watermark near (reapply or (apply near again) or reversible or reverse) - 0 digital near watermark near (reapply or (apply near again) or reversible or reverse) - 1 0 digital near watermark near (reapply or (apply near again) or reversible or reverse) - 1 2 digital near watermark) and reapply - 1 3 (digital near watermark) and reapply - 2 5722693.pn. - 2 5722693.pn. - 2 5722693.pn. - 2 5722693.pn. - 3 digital near watermark) and reapply - 3 (digital near watermark) and reapply - 4 2 5722693.pn. - 5 5722693.pn. - 5 5722693.pn. - 6 digital near watermark near (reapply or (apply near again) or reverse) - 5 6 DERWENT; IBM_TDB - 5 722693.pn. - 6 digital near watermark near (reapply or (apply near again) or reverse) - 7 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0			,		
- 0 digital same watermark same reapply digital same watermark same reapply digital near watermark near (reapply or (apply near again) or reversible or reverse) digital near watermark near (reapply or (apply near again) or reversible or reverse) digital near watermark near (reapply or (apply near again) or reversible or reverse) 2004/02/27 13:02 2004/02/27 13:05 2004/02/27 13:15 2004/02/27 13:11 2004/02/27 13:11 2004/02/27 13:11 2004/02/27 13:12 2004/02/27 13:12		1			
- 0 digital same watermark same reapply - 6 digital near watermark near (reapply or (apply near again) or reversible or reverse) - 3 (digital near watermark) and reapply - 2 5722693.pn. IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB;		1			
digital same watermark same reapply digital same watermark same reapply digital same watermark same reapply digital near watermark near (reapply or (apply near again) or reversible or reverse) digital near watermark near (reapply or (apply near again) or reversible or reverse) digital near watermark near (reapply or (apply near again) or reversible or reverse) Sepon JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO;		1			
- digital near watermark near (reapply or (apply near again) or reversible or reverse) - digital near watermark near (reapply or (apply near again) or reversible or reverse) - 3 (digital near watermark) and reapply - 2 5722693.pn. US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT;	-	0	digital same watermark same reapply		2004/02/27 13:02
- 6 digital near watermark near (reapply or (apply near again) or reversible or reverse) - 3 (digital near watermark) and reapply - 2 5722693.pn. EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT;					
digital near watermark near (reapply or (apply near again) or reversible or reverse) 1 digital near watermark near (reapply or (apply near again) or reverse) 2 (digital near watermark) and reapply 3 (digital near watermark) and reapply 4 digital near watermark) and reapply 5 722693.pn. 5 DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; U				EPO; JPO;	
digital near watermark near (reapply or (apply near again) or reversible or reverse) Country		1			
reversible or reverse) - 3 (digital near watermark) and reapply - 2 5722693.pn. US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT;				IBM_TDB	
EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT;	-	6			2004/02/27 13:05
- 3 (digital near watermark) and reapply - 3 (digital near watermark) and reapply - 2 5722693.pn. DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT;			reversible or reverse)		
- 3 (digital near watermark) and reapply - 3 (digital near watermark) and reapply - 2 5722693.pn. DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT;		1			
- 3 (digital near watermark) and reapply USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DS-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT;					
- 3 (digital near watermark) and reapply USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DS-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT;					
EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT;	-	3	(digital near watermark) and reapply	USPAT;	2004/02/27 13:11
DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;					
- 2 5722693.pn. IBM_TDB					
- 2 5722693.pn. USPAT; 2004/02/27 13:12 US-PGPUB; EPO; JPO; DERWENT;		•			
US-PGPUB; EPO; JPO; DERWENT;					
EPO; JPO; DERWENT;	-	2	5722693.pn.		2004/02/27 13:12
DERWENT;					
IBM_TDB					
	L	1		IBM_TDB	

			· · · · · · · · · · · · · · · · · · ·	
-	2	5291243.pn.	USPAT;	2004/02/27 13:16
			US-PGPUB;	
•			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	4	digital near watermark near (save or print or fax)	USPAT;	2004/02/27 13:23
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
	1	removable near digital near watermark	USPAT;	2004/02/27 13:23
_	'	Temovable near digital near watermark		2004/02/2/ 13.23
			US-PGPUB;	
			EPO; JPO;	
		t	DERWENT;	
		the state of the s	IBM_TDB	
-	5	removable near watermark	USPAT;	2004/02/27 13:26
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	1		IBM_TDB	
-	2	reapply near watermark	USPAT;	2004/02/27 13:27
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	i
_	2	reapply with watermark	USPAT;	2004/02/27 13:27
	_	Teappiy with watermark	US-PGPUB;	2004/02/27 13.27
			EPO; JPO;	
	1		DERWENT;	
	1		IBM_TDB	0004/00/07 40 00
-	2	reapply same watermark	USPAT;	2004/02/27 13:29
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	0	apply near again near watermark	USPAT;	2004/02/27 13:29
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	104	add near watermark	USPAT;	2004/02/27 13:46
			US-PGPUB;	
			EPO; JPO;	
	1		DERWENT;	
			IBM_TDB	
_	0	reapplication near watermark\$3	USPAT;	2004/02/27 13:47
		- Cappiloation floor flooring	US-PGPUB;	
	1		EPO; JPO;	
			DERWENT;	
			IBM_TDB	
	2	roapply poor watermark\$3	USPAT;	2004/02/27 13:47
1 -	2	reapply near watermark\$3		2004/02/2/ 13.4/
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	_		IBM_TDB	0004/00/07 := :=
-	0	reapplication near5 watermark\$3	USPAT;	2004/02/27 13:47
			US-PGPUB;	
	1		EPO; JPO;	
			DERWENT;	
	-		IBM_TDB	
-	0	reapplication near10 watermark\$3	USPAT;	2004/02/27 13:47
			US-PGPUB;	
			EPO; JPO;	
1			DERWENT;	
			IBM_TDB	
		Inc		L

-	0	reapplication with watermark\$3	USPAT;	2004/02/27 13:47
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	1	reapplication same watermark\$3	USPAT;	2004/02/27 13:49
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	155	application near watermark\$3	USPAT;	2004/02/27 13:49
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	95	apply near watermark\$3	USPAT;	2004/02/27 13:49
		apply nour natorinante	US-PGPUB;	2001/02/27 10:10
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
1_	13	(apply near watermark\$3) and print	_	2004/02/27 14:18
_	13	(apply lieal watermarkys) and print	USPAT;	2004/02/27 14:18
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	_	(lane many frames) and (interaction many the control of the	IBM_TDB	0004/00/07 11 15
-	0	(lens near frame) and (interchangeable near colored near	USPAT;	2004/02/27 14:19
		lens)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
-			IBM_TDB	
-	118	(lens near frame) and (interchangeable near lens)	USPAT;	2004/02/27 14:20
	ļ		US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	0	((lens near frame) and (interchangeable near lens)) and (eye	USPAT;	2004/02/27 14:20
		near glassess)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	0	((lens near frame) and (interchangeable near lens)) and (eye	USPAT;	2004/02/27 14:20
		near glass\$2)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
1			IBM_TDB	
-	23	((lens near frame) and (interchangeable near lens)) and	USPAT;	2004/02/27 14:22
		(glass\$2)	US-PGPUB;	
1			EPO; JPO;	
			DERWENT;	
1			IBM_TDB	
-	3	(((lens near frame) and (interchangeable near lens)) and	USPAT;	2004/02/27 14:36
		(((class flear flear)) and (color near lens)	US-PGPUB;	
		(giassy=)/ and (oolor float folis)	EPO; JPO;	
			DERWENT;	
				.
1_	8	multiple near color\$2 near lens	IBM_TDB	2004/02/27 14:37
1		munipie near coloraz near lens	USPAT;	2004102121 14:31
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
		100	IBM_TDB	0004/00/07 11 55
-	2131	multiple near lens	USPAT;	2004/02/27 14:38
			US-PGPUB;	
	1		EPO; JPO;	
			DERWENT;	
	1		IBM_TDB	

-	8	((lens near frame) and (interchangeable near lens)) and	USPAT;	2004/02/27 15:01
		(multiple near lens)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	1403	encode and decode and image and security	USPAT;	2004/02/27 15:01
		,	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
	1151	(encode and decode and image and security) and display	USPAT;	2004/02/27 15:10
		,, , , , , , , , , , , , , , , , , , , ,	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	1009	(data or image) near (overlay\$3 or block\$3 or cover\$3 or	USPAT;	2004/02/27 15:17
		mask\$3 or shield\$3 or protect\$3) near (display or view)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
•	5	((data or image) near (overlay\$3 or block\$3 or cover\$3 or	USPAT;	2004/02/27 15:18
		mask\$3 or shield\$3 or protect\$3) near (display or view)) and	US-PGPUB;	
		(color\$3 near matrix)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	17	((data or image) near (overlay\$3 or block\$3 or cover\$3 or	USPAT;	2004/02/27 15:20
		mask\$3 or shield\$3 or protect\$3) near (display or view)) and	US-PGPUB;	
		(diamond)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	15	((data or image) near (overlay\$3 or block\$3 or cover\$3 or	USPAT;	2004/02/27 15:20
		mask\$3 or shield\$3 or protect\$3) near (display or view)) and	US-PGPUB;	
		(obscuring)	EPO; JPO;	
		(**************************************	DERWENT;	
			IBM TDB	